

GROWTH FEEDCHART

ML Per Litre	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6
GROW A & B	2.0ml of each	2.5ml of each	2.5ml of each	3.0ml of each	3.0ml of each	3.0ml of each
B1 BOOST	1ml	1ml	1ml	1ml	1ml	1ml
ZYME	1ml	1ml	1ml	1ml	1ml	1ml
RYZOFUEL	1ml	1ml	1ml	1ml	1ml	1ml
GROW XL			0.5ml			
T.D.S (P.P.M)	900	1100	1100	1300	1300	1300
E.C.	1.3	1.6	1.6	1.8	1.8	1.8
PH	6	6	5.5	5.8	5.8	5.8

METRIC

BASE NUTRIENT

REDUCTION OF BASE NUTRIENT
FOR POOR WATER

PPM	REDUCE
800	1.5ML
600	1ML
400	0.5ML
0 < 200	STANDARD

FEED CHARTS ARE BASED ON ML PER LTR
AND 0-200PPM WATER QUALITY

BLOOM FEEDCHART

ML Per Litre	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8
BLOOM A & B	3ml of each	3ml of each	3ml of each	3ml of each	3ml of each	3ml of each	3ml of each	3ml of each
ZYME	1ml	1ml	1ml	1ml	1ml	1ml	1ml	1ml
SILICA					1ml	1ml	1ml	1ml
POTASH plus	2ml	2ml	2ml	2ml				
SUPA STIKY					2ml	2ml	2ml	4ml this week
SWELL					2.5ml	2.5ml	2.5ml	2.5ml
SUGA RUSH	1ml	1ml	1ml	1ml	1ml	1ml	1ml	1ml
T.D.S (P.P.M)	1500	1500	1500	1500	1500	1500	1500	1650
E.C.	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.3
PH	5.5 - 5.8	5.5 - 5.8	5.5 - 5.8	5.5 - 5.8	5.5 - 5.8	5.5 - 5.8	5.5 - 5.8	5.5 - 5.8

BASE NUTRIENT

DR REPAIR	TO BE USED THRU ALL CYCLE 1ml per Ltr
GROW XL	GROW XL WILL SIGNIFICANTLY INCREASE PPM AND LOWER pH (PLEASE MONITOR YOUR pH)

Important note:

Weekly totals have been calculated using reverse osmosis water and consumers should take into consideration the quality of their local water supply before adding nutrients or additives as S.J. Enterprises holds no responsibility for user error.

S.J. Enterprises
signature series